Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	19	((ANDREAS) near2 (ROESSLER)). INV.	US-PGPUB; USPAT	AND	ON	2008/01/17 10:24
L3	7	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/17 10:24
L12	9	(US-20040148565-\$).did. or (US-6154767-\$ or US-6085226-\$ or US-6067565-\$ or US-5878223-\$ or US-6055569-\$ or US-6742033-\$ or US-5758087-\$ or US-6725421-\$).did.	US-PGPUB; USPAT	AND	ON	2008/01/17 11:04
L13	9	l12 @ad<"20030930"	US-PGPUB; USPAT	AND	ON	2008/01/17 11:04
L14	8	l12 @ad<"20030930" interface	US-PGPUB; USPAT	AND	ON	2008/01/17 11:12
L15	255	@ad<"20030930" (interface with state ) ((pre) adj (render or fetch))	US-PGPUB; USPAT	AND	ON	2008/01/17 11:13
L16	1	@ad<"20030930" (interface with state ) ((pre) adj (render or fetch)) generate adj code	US-PGPUB; USPAT	AND	ON	2008/01/17 11:14
L17	13	@ad<"20030930" (interface with state ) ((pre) adj (render or fetch or process)) generate adj code	US-PGPUB; USPAT	AND	ON	2008/01/17 11:15
L18	60	@ad<"20030930" (interface with state ) ((pre) adj (render or fetch or process)) GUI	US-PGPUB; USPAT	AND	ON	2008/01/17 11:15
S1	851	(predict\$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S2	7`	(predict\$4 near2 response near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55

S3	379	715/841.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S4	171	715/825.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S5	104	"715".clas. ((pre adj render) or (Pre adj fetch\$3)) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S6	1348	715/810.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S7	64	715/812.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S8	123	(possible user interaction events). clm.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S9	1	(client computer interface receive input interact\$3 generate interaction event identify possible current state (pre adj process)). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S10	83	(possible (user with interaction) events).clm.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S11	1	"5878223".pn.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S12	1	"20040123239".pn.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55

			-			
S13	1	"5727129".pn.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S14	1	"20050086608".pn.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S15	4	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$). did.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S16	1	S15 predict	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S17	19	((ANDREAS) near2 (ROESSLER)). INV.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S18	7	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S19	. 2	"US-20050071777-A1".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S20	34	((interface near3 state) (user with interaction) (interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S21	7	S17 S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S22	22	"715".clas. (pre adj render)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S23	16	"715".clas. (pre adj render) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55

S24	17	"715".clas. ((interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S25	8	S7 S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S26	20	(pre adj cache).clm.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S27	22	(possible (user with interaction) with events).clm.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S28	2	"US-5758087-A".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S29	2	"6085226".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S30	82	("5740430"   "5754939"   "5758087"   "5799150"   "5802292"   "5806065").PN. OR ("5878223").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/15 10:55
S31	10	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$ or US-6742033-\$ or US-5878223-\$ or US-5758087-\$ or US-6055569-\$ or US-6067565-\$ or US-6085226-\$).did.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S32	. 10	S31 client	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55

Page 4

S34	72	((hypertext) with (markup adj language) with known) NOT ((hypertext adj markup adj language) with (((hypertext) with (markup adj language) with known)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND .	ON	2008/01/15 11:12
S35	8	(XML navigation).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 12:26
S36	12	(XML flow).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 14:03
S45	105	(XML) Hierarch\$6 (web adj page) (modif\$3 same website or structure) (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2008/01/15 15:23
S47	104	"715".clas. ((pre adj render) or (Pre adj fetch\$3)) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S48	172	715/825.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S49	44	(XML) Hierarch\$6 (web adj page) website structure (navigation with flow)	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S50	379	715/841.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09

S51	853	(predict\$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09	
S52	4	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$). did.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09	
S53	12	(XML flow).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09	
S54	8	(XML with navigation with flow)	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09	
S55	10	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$ or US-6742033-\$ or US-5878223-\$ or US-5758087-\$ or US-6055569-\$ or US-6067565-\$ or US-6085226-\$).did.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09	
S56	10	S55 client	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09	
S57	2355	(XML) Hierarch\$6 (web adj page) website	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09	
S59	8	(XML with navigation with flow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09	
S60	1	(XML) backid	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09	
S61	7470	(XML) Hierarch\$6 (web adj page)	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09	
S62	25	(hypertext adj file) with known	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09	

S63	53	(XML) (web adj page) website (modif\$3 same Hierarch\$6 or structure) (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S64	34	(XML) Hierarch\$6 (web adj page) website structure (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S66	82	("5740430"   "5754939"   "5758087"   "5799150"   "5802292"   "5806065").PN. OR ("5878223").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/17 02:09
S67	2	"6085226".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S68	2	"US-5758087-A".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S69	. 22	(possible (user with interaction) with events).clm.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S70	20	(pre adj cache).clm.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S71	124	(possible user interaction events). clm.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S72	64	715/812.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S73	8	S72 S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09

S74	17	"715".clas. ((interface with state)((pre adj render) or (Pre adj	US-PGPUB; USPAT;	AND	ON	2008/01/17 02:09
	٠	fetch\$3)) html)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S75	16	"715".clas. (pre adj render) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S76		"715".clas. (pre adj render)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S77	19	((ANDREAS) near2 (ROESSLER)). INV.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S78	7	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S79	7	S77 S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S80	2	"US-20050071777-A1".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S81·	1	(client computer interface receive input interact\$3 generate interaction event identify possible current state (pre adj process)). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09

S82	34	((interface near3 state) (user with interaction) (interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S83		(predict\$4 near2 response near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S84	1	S52 predict	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S85	1	"20050086608".pn.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S86	1	"5727129".pn.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S87	1	"20040123239".pn.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S88	1	"5878223".pn.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S89	84	(possible (user with interaction) events).clm.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S91	1351	715/810.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09

1/17/2008 1:43:22 PM C:\Documents and Settings\STermanini\Desktop\EAST TEMP\10\_676\_846\_4.wsp